

Capsule house **A3** Configuration



Model: A3

Size(L*W*H):


5600*2800*3100mm

Floor Area: 15.7m²

Number of guests: 2 people

Maximum Power: 6.7KW/11.2KW
(with floor heating)

Total Net Weight: ≈4 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Smart Voice System

☐ Starry Sky Skylight

3. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **A5** Configuration



Model: A5

Size(L*W*H):


9500*3300*3300mm

Floor Area: 31.4m²

Number of guests: 2-4 people

Maximum Power: 6.7KW/11.2KW
(with floor heating)

Total Net Weight: ≈ 6.5 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Custom bar counter

☐ Custom wardrobe

☐ Smart voice system

☐ Projector + projection screen

3. International Kitchen Integrated Customization

☐ Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)

☐ Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **A7** Configuration



Model: A7

Size(L*W*H):


11500*3300*3300mm

Floor Area: 38.0m²

Number of guests: 2-4 people

Maximum Power: 9.9KW/15.4KW
(with floor heating)

Total Net Weight: ≈ 8 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Custom bar counter

☐ Custom wardrobe

☐ Smart voice system

☐ Projector + projection screen

3. International Kitchen Integrated Customization

☐ Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)



☐ Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **A9** Configuration



Model: A9

Size(L*W*H):


13500*3300*3300mm

Floor Area: 44.6m²

Number of guests: 2-4 people

Maximum Power: 11.5KW/17KW
(with floor heating)

Total Net Weight: ≈ 10 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Custom bar counter

☐ Custom wardrobe

☐ Smart voice system

☐ Projector + projection screen

3. International Kitchen Integrated Customization

☐ Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)

☐ Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **F7** Configuration



Model: F7

Size(L*W*H):

11500*3300*3300mm

Floor Area: 38.0m²

Number of guests: 2-4 people

Maximum Power: 9.9KW/15.4KW
(with floor heating)

Total Net Weight: ≈ 8 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

Lighting Ventilation Fan

Branded Smart Toilet

Electric Underfloor Heating

Hard-Fitted Furniture

Wardrobe

Shoe Cabinet

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Custom bar counter

☐ Custom wardrobe

☐ Smart voice system

☐ Projector + projection screen

3. International Kitchen Integrated Customization

☐ Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)

☐ Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **H5** Configuration



Model: H5

Size(L*W*H):


9100*3300*3400mm

Floor Area: 30.0m²

Number of guests: 2 people

Maximum Power: 10KW/15KW
(with floor heating)

Total Net Weight: ≈ 7 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Standard swing entrance door

Guest control system

Multi-Scenario Mode Function Panel

Lighting / Electric Curtains

Smart Voice Control

Hotel Intelligent Access Control System

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Hard-Fitted Furniture

Bar counter

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

- ☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)
- ☐ Thickened Insulation Layer

2. Comfort Upgrade

- ☐ Projector

3. Accessories and Peripherals

- ☐ Entrance Staircase
- ☐ Triangular V-brace
- ☐ Entrance Platform



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **R5** Configuration



Model: R5

Size(L*W*H):


9100*3300*3400mm

Floor Area: 30.0m²

Number of guests: 2 people

Maximum Power: 10KW/15KW
(with floor heating)

Total Net Weight: ≈ 7 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Multi-Scenario Mode Function Panel

Lighting / Electric Curtains

Smart Voice Control

Hotel Intelligent Access Control System

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Hard-Fitted Furniture

Bar counter

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Projector

3. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **R7** Configuration



Model: R7

Size(L*W*H):


11500*3300*3400mm

Floor Area: 38.0m²

Number of guests: 2-4 people

Maximum Power: 10KW/15KW
(with floor heating)

Total Net Weight: ≈8 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Multi-Scenario Mode Function Panel

Lighting / Electric Curtains

Smart Voice Control

Hotel Intelligent Access Control System

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Hard-Fitted Furniture

Bar counter

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Projector

3. Accessories and Peripherals

☐ Entrance Staircase


☐ Triangular V-brace

☐ Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **P5** Configuration



Model: P5

Size(L*W*H):


9500*3300*3200mm

Floor Area: 31.4m²

Number of guests: 2 people

Maximum Power: 7.5KW/12KW
(with floor heating)

Total Net Weight: ≈6.5 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Multi-Scenario Mode Function Panel

Lighting / Electric Curtains

Smart Voice Control

Hotel Intelligent Access Control System

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Hard-Fitted Furniture

Wardrobe

Shoe Cabinet

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Projector

3. International Kitchen Integrated Customization

☐ Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)

☐ Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **P7** Configuration



Model: P7

Size(L*W*H):

11500*3300*3200mm

Floor Area: 38.0m²

Number of guests: 2-4 people

Maximum Power: 11.5KW/17KW
(with floor heating)

Total Net Weight: ≈ 8 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Multi-Scenario Mode Function Panel

Lighting / Electric Curtains

Smart Voice Control

Hotel Intelligent Access Control System

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Hard-Fitted Furniture

Wardrobe

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Projector

3. International Kitchen Integrated Customization

☐ Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)

☐ Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **Z5** Configuration



Model: Z5

Size(L*W*H):


9500*3300*3200mm

Floor Area: 31.4m²

Number of guests: 2 people

Maximum Power: 7.5KW/12KW
(with floor heating)

Total Net Weight: ≈6.5 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Multi-Scenario Mode Function Panel

Lighting / Electric Curtains

Smart Voice Control

Hotel Intelligent Access Control System

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Hard-Fitted Furniture

Wardrobe

Shoe Cabinet

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Projector

3. International Kitchen Integrated Customization

☐ Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)

☐ Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **Z7** Configuration



Model: Z7

Size(L*W*H):


11500*3300*3200mm

Floor Area: 38.0m²

Number of guests: 2-4 people

Maximum Power: 11.5KW/17KW
(with floor heating)

Total Net Weight: ≈ 8 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Multi-Scenario Mode Function Panel

Lighting / Electric Curtains

Smart Voice Control

Hotel Intelligent Access Control System

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Hard-Fitted Furniture

Wardrobe

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Projector

3. International Kitchen Integrated Customization

☐ Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)

☐ Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house E3- II Configuration



Model: E3- II

Size(L*W*H):

5600*2600*3200mm

Floor Area: 14.6m²

Number of guests: 2 people

Maximum Power: 6.7KW/8.2KW
(with floor heating)

Total Net Weight: ≈4 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

Lighting Ventilation Fan

Branded Smart Toilet

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Smart Voice System

☐ Starry Sky Skylight

3. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house E5- II Configuration



Model: E5- II

Size(L*W*H):


8500*3200*3200mm

Floor Area: 27.2m²

Number of guests: 2 people

Maximum Power: 6.7KW/8.2KW
(with floor heating)

Total Net Weight: ≈6.5 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

Lighting Ventilation Fan

Branded Smart Toilet

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Custom bar counter

☐ Smart voice system


☐ Projector

3. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house E6- II Configuration



Model: E6- II

Size(L*W*H):

8500*3200*3200mm

Floor Area: 27.2m²

Number of guests: 2 people

Maximum Power: 6.7KW/8.2KW
(with floor heating)

Total Net Weight: ≈6.5 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Custom bar counter

☐ Smart voice system

☐ Projector

3. International Kitchen Integrated Customization

☐ Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)


☐ Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **E7- II** Configuration



Model: E7- II

Size(L*W*H):


11500*3200*3200mm

Floor Area: 36.8m²

Number of guests: 2-4 people

Maximum Power: 9.9KW/11.3KW
(with floor heating)

Total Net Weight: ≈ 8 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Hollow laminated tempered glass skylight

Painted stainless steel swing entrance door

Panoramic balcony

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Custom bar counter

☐ Smart voice system

☐ Projector

3. International Kitchen Integrated Customization

☐ Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)

☐ Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **W3** Configuration



Model: W3

Size(L*W*H):



5600*3400*3400mm

Floor Area: 19.1m²

Number of guests: 2 people

Maximum Power: 6.7KW/11.2KW
(with floor heating)

Total Net Weight: ≈4 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Smart Voice Control

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Micro-ventilation window

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Smart Voice System

☐ Electric towel rack

3. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **W6** Configuration



Model: W6

Size(L*W*H):



9500*3400*3400mm

Floor Area: 32.3m²

Number of guests: 2-4 people

Maximum Power: 6.7KW/11.2KW
(with floor heating)

Total Net Weight: ≈ 6.5 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Smart Voice Control

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Micro-ventilation window

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Custom bar counter/custom wardrobe

☐ Smart voice system

☐ Projector + projection screen

☐ Washing machine

☐ Electric towel rack

3. International Kitchen Integrated Customization

☐ Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)

☐ Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **W9** Configuration



Model: W9

Size(L*W*H):



11500*3400*3400mm

Floor Area: 39.1m²

Number of guests: 2-4 people

Maximum Power: 9.9KW/15.4KW
(with floor heating)

Total Net Weight: ≈8 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Three-layer hollow tempered floor-to-ceiling glass

Standard swing entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Smart Voice Control

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Privacy Glass Door

Bathroom Shower Room/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks/Shower Storage Shelf/Towel Rack

Branded Water Tap/Showerhead/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Air Conditioner (Cooling & Heating)

Electric Water Heater

Ventilation System

Whole-House Mosquito-Proof Screen Doors

4-in-1 bathroom ceiling heater with light, heat, ventilation, and fan

Branded Smart Toilet

Micro-ventilation window

Electric Underfloor Heating

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

☐ UV-resistant Heat-insulating Explosion-proof Film (High-transparency/Privacy)

☐ Thickened Insulation Layer

2. Comfort Upgrade

☐ Custom bar counter/custom wardrobe

☐ Smart voice system

☐ Projector + projection screen

☐ Washing machine

☐ Electric towel rack

3. International Kitchen Integrated Customization

☐ Kitchen Cabinets/Wall Cabinets (Including Sink/Water Tap)

☐ Range Hood/Induction Cooker/Refrigerator

4. Accessories and Peripherals

☐ Entrance Staircase

☐ Triangular V-brace

☐ Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **A7** Configuration(Service Center)



Model: A7(Service Center)

Size(L*W*H):


11500*3300*3300mm

Floor Area: 38.0m²

Number of guests: 2-4 people

Maximum Power: 9.9KW/15.4KW
(with floor heating)

Total Net Weight: ≈8 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Insulated tempered floor-to-ceiling glass

Insulated laminated tempered glass skylight

Standard swing entrance door

Sliding glass entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Bathroom Swing Doors (2 units)

Bathroom/Marble/Tile Floor

Washbasin Counter/Sink/Bathroom Mirror

Coat Hooks

Branded Water Tap/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Standard Color Blackout Curtains

Split-Type Air Conditioners (2P + 1.5P Wall-Mounted Units)

Ventilation System

Whole-House Mosquito-Proof Screens

Branded Toilets (One Squat Toilet and One Sitting Toilet)

Lounge Swing Door

Hard-Fitted Furniture

Custom front desk

Custom wall cabinet

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade


- ☐ Water Supply Pipe Electric Auxiliary Heating System
- ☐ Thickened Insulation Layer
- ☐ Electric Underfloor Heating
- ☐ Three-Layer Insulated Tempered Floor-to-Ceiling Glass
- ☐ UV-Resistant Heat Insulation Explosion-Proof Film (High Transparency/Privacy)

2. Comfort Upgrade

- ☐ Smart voice system
- ☐ Projector + projection screen

3. Accessories and Peripherals

- ☐ Entrance Staircase
- ☐ Triangular V-brace
- ☐ Entrance Platform



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

Capsule house **A9** Configuration(Dining Room)



Model: A9(Dining Room)

Size(L*W*H):


13500*3300*3300mm

Floor Area: 44.6m²

Number of guests: 2-4 people

Maximum Power: 11.5KW/17KW
(with floor heating)

Total Net Weight: ≈9 tons



*Product layout plan (for reference only)

External protection system

Galvanized steel structure frame system

Fluorocarbon sprayed aluminum alloy shell module

Thermal insulation, waterproof and moisture-proof structural system

Insulated tempered floor-to-ceiling glass

Insulated laminated tempered glass skylight

Standard swing entrance door

Sliding glass entrance door

Guest control system

Lighting / Electric curtains

Intelligent access control system for hotels

Product accessories

Support feet matched at the bottom of the product

Lifting rings / Transportation fixtures

Interior Decoration

Integrated Ceiling and Wall Modules

Stone Crystal Wood-Grain Flooring

Tile Floor in Bar Area

Sink/Water Tap/Range Hood

Coat Hooks/Shower Storage Shelf

Branded Water Tap/Floor Drain

Whole-House Lighting System

Whole-House Water and Electricity System

Sunshade Roller Blind

Split-Type Air Conditioner (Cooling & Heating)

Ventilation System

Whole-House Mosquito-Proof Screens

Hard-Fitted Furniture

Custom Bar Counter/Display Wall Cabinets

Custom Kitchen Countertop/Wall Cabinets

Optional Configurations (Additional Costs Apply)

1. Insulation Upgrade

- ☐ Water Supply Pipe Electric Auxiliary Heating System
- ☐ Thickened Insulation Layer
- ☐ Electric Underfloor Heating
- ☐ Three-Layer Insulated Tempered Floor-to-Ceiling Glass
- ☐ UV-Resistant Heat Insulation Explosion-Proof Film (High Transparency/Privacy)

2. Comfort Upgrade

- ☐ Smart voice system
- ☐ Projector + projection screen

3. Accessories and Peripherals

- ☐ Entrance Staircase
- ☐ Triangular V-brace
- ☐ Entrance Platform



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.

AE23-A Disassembled Version Configuration



Model: AE23-A

Size(L*W*H):

6500*3480*3300mm

Floor Area: 23.0m²

Total Net Weight: ≈4.3 tons



*Product layout plan (for reference only)

Roof Module

Roof aluminum plate with PVDF coating

Light steel keel frame

Ceiling aluminum plate

Module broken bridge thermal insulation

Solar panel mounting clips

Embedded wiring pipes

Injection of PIR flame-retardant insulating thermal insulation material

Wall Module

Shell Aluminum Plate

Light Steel Galvanized Structural Frame

Injection of PIR Flame-Retardant Insulating Thermal Insulation Material

Decorative Wall Panel: 8mm Thick Carbon Crystal Panel

Module Broken Bridge Thermal Insulation

Embedded Wiring Pipes

Bottom Module

Shell aluminum plate with PVDF coating

Light steel keel frame

Injection of flame-retardant PIR insulating thermal insulation material

Internal color steel plate

Broken bridge thermal insulation aluminum profile module

Embedded wiring pipes

Structural floor module

Finished floor

Hot-dip galvanized steel base

Indoor Fine Decoration

Insulated Low-E Tempered Glass

SMC Modular Bathroom

Toilet and water tank, bathroom vanity, wall cabinet

Shower faucet and shower rod, towel rack

Exhaust fan, LED lights, floor drain

Optional Configurations (Additional Costs Apply)

1. Comfort Upgrades

- ☐ Air conditioner
- ☐ Kitchen and kitchen appliances

2. Accessories and Peripherals

- ☐ Electrical, Wiring and Lighting
- ☐ Solar System
- ☐ Water Tank



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

AE31-A Disassembled Version Configuration



Model: AE31-A

Size(L*W*H):

8940*3480*3300mm

Floor Area: 31.1m²

Total Net Weight: ≈5.5 tons



*Product layout plan (for reference only)

Roof Module

Roof aluminum plate with PVDF coating

Light steel keel frame

Ceiling aluminum plate

Module broken bridge thermal insulation

Solar panel mounting clips

Embedded wiring pipes

Injection of PIR flame-retardant insulating thermal insulation material

Wall Module

Shell Aluminum Plate

Light Steel Galvanized Structural Frame

Injection of PIR Flame-Retardant Insulating Thermal Insulation Material

Decorative Wall Panel: 8mm Thick Carbon Crystal Panel

Module Broken Bridge Thermal Insulation

Embedded Wiring Pipes

Bottom Module

Shell aluminum plate with PVDF coating

Light steel keel frame

Injection of flame-retardant PIR insulating thermal insulation material

Internal color steel plate

Broken bridge thermal insulation aluminum profile module

Embedded wiring pipes

Structural floor module

Finished floor

Hot-dip galvanized steel base

Indoor Fine Decoration

Insulated Low-E Tempered Glass

SMC Modular Bathroom

Toilet and water tank, bathroom vanity, wall cabinet

Shower faucet and shower rod, towel rack

Exhaust fan, LED lights, floor drain

Optional Configurations (Additional Costs Apply)

1. Comfort Upgrades

- ☐ Air conditioner
- ☐ Kitchen and kitchen appliances

2. Accessories and Peripherals

- ☐ Electrical, Wiring and Lighting
- ☐ Solar System
- ☐ Water Tank



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.

AE31-B Disassembled Version Configuration



Model: AE31-B

Size(L*W*H):

8940*3480*3300mm

Floor Area: 31.1m²

Total Net Weight: ≈5.5 tons



*Product layout plan (for reference only)

Roof Module

Roof aluminum plate with PVDF coating

Light steel keel frame

Ceiling aluminum plate

Module broken bridge thermal insulation

Solar panel mounting clips

Embedded wiring pipes

Injection of PIR flame-retardant insulating thermal insulation material

Wall Module

Shell Aluminum Plate

Light Steel Galvanized Structural Frame

Injection of PIR Flame-Retardant Insulating Thermal Insulation Material

Decorative Wall Panel: 8mm Thick Carbon Crystal Panel

Module Broken Bridge Thermal Insulation

Embedded Wiring Pipes

Bottom Module

Shell aluminum plate with PVDF coating

Light steel keel frame

Injection of flame-retardant PIR insulating thermal insulation material

Internal color steel plate

Broken bridge thermal insulation aluminum profile module

Embedded wiring pipes

Structural floor module

Finished floor

Hot-dip galvanized steel base

Indoor Fine Decoration

Insulated Low-E Tempered Glass

SMC Modular Bathroom

Toilet and water tank, bathroom vanity, wall cabinet

Shower faucet and shower rod, towel rack

Exhaust fan, LED lights, floor drain

Optional Configurations (Additional Costs Apply)

1. Comfort Upgrades

- ☐ Air conditioner
- ☐ Kitchen and kitchen appliances

2. Accessories and Peripherals

- ☐ Electrical, Wiring and Lighting
- ☐ Solar System
- ☐ Water Tank



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.

AE40-A Disassembled Version Configuration



Model: AE40-A

Size(L*W*H):

11380*3480*3300mm

Floor Area: 39.6m²

Total Net Weight: ≈6.7 tons



*Product layout plan (for reference only)

Roof Module

Roof aluminum plate with PVDF coating

Light steel keel frame

Ceiling aluminum plate

Module broken bridge thermal insulation

Solar panel mounting clips

Embedded wiring pipes

Injection of PIR flame-retardant insulating thermal insulation material

Wall Module

Shell Aluminum Plate

Light Steel Galvanized Structural Frame

Injection of PIR Flame-Retardant Insulating Thermal Insulation Material

Decorative Wall Panel: 8mm Thick Carbon Crystal Panel

Module Broken Bridge Thermal Insulation

Embedded Wiring Pipes

Bottom Module

Shell aluminum plate with PVDF coating

Light steel keel frame

Injection of flame-retardant PIR insulating thermal insulation material

Internal color steel plate

Broken bridge thermal insulation aluminum profile module

Embedded wiring pipes

Structural floor module

Finished floor

Hot-dip galvanized steel base

Indoor Fine Decoration

Insulated Low-E Tempered Glass

SMC Modular Bathroom

Toilet and water tank, bathroom vanity, wall cabinet

Shower faucet and shower rod, towel rack

Exhaust fan, LED lights, floor drain

Optional Configurations (Additional Costs Apply)

1. Comfort Upgrades

- ☐ Air conditioner
- ☐ Kitchen and kitchen appliances

2. Accessories and Peripherals

- ☐ Electrical, Wiring and Lighting
- ☐ Solar System
- ☐ Water Tank



***Remarks:** All designs and specifications are for reference only. Changes may be made without prior notice.

AE40-B Disassembled Version Configuration



Model: AE40-B

Size(L*W*H):

11380*3480*3300mm

Floor Area: 39.6m²

Total Net Weight: ≈6.7 tons



*Product layout plan (for reference only)

Roof Module

Roof aluminum plate with PVDF coating

Light steel keel frame

Ceiling aluminum plate

Module broken bridge thermal insulation

Solar panel mounting clips

Embedded wiring pipes

Injection of PIR flame-retardant insulating thermal insulation material

Wall Module

Shell Aluminum Plate

Light Steel Galvanized Structural Frame

Injection of PIR Flame-Retardant Insulating Thermal Insulation Material

Decorative Wall Panel: 8mm Thick Carbon Crystal Panel

Module Broken Bridge Thermal Insulation

Embedded Wiring Pipes

Bottom Module

Shell aluminum plate with PVDF coating

Light steel keel frame

Injection of flame-retardant PIR insulating thermal insulation material

Internal color steel plate

Broken bridge thermal insulation aluminum profile module

Embedded wiring pipes

Structural floor module

Finished floor

Hot-dip galvanized steel base

Indoor Fine Decoration

Insulated Low-E Tempered Glass

SMC Modular Bathroom

Toilet and water tank, bathroom vanity, wall cabinet

Shower faucet and shower rod, towel rack

Exhaust fan, LED lights, floor drain

Optional Configurations (Additional Costs Apply)

1. Comfort Upgrades

- ☐ Air conditioner
- ☐ Kitchen and kitchen appliances

2. Accessories and Peripherals

- ☐ Electrical, Wiring and Lighting
- ☐ Solar System
- ☐ Water Tank



*Remarks: All designs and specifications are for reference only. Changes may be made without prior notice.